

Logic Systems

*Lattices,
classical logic and
quantum logic*

Logic – Lattice structure

- A lattice is a set of elements a, b, c, \dots that is closed for the connections \cap and \cup . These connections obey:
 -
 - The set is partially ordered. With each pair of elements a, b belongs an element c , such that $a \subset c$ and $b \subset c$.
 - The set is a \cap half lattice if with each pair of elements a, b an element c exists, such that $c = a \cap b$.
 - The set is a \cup half lattice if with each pair of elements a, b an element c exists, such that $c = a \cup b$.
 - The set is a lattice if it is both a \cap half lattice and a \cup half lattice.

Partially ordered set

- The following relations hold in a lattice:

$$a \cap b = b \cap a$$

$$(a \cap b) \cap c$$

$$= a \cap (b \cap c)$$

$$a \cap (a \cup b) = a$$

$$a \cup b = b \cup a$$

$$(a \cup b) \cup c$$

$$= a \cup (b \cup c)$$

$$a \cup (a \cap b) = a$$

- has a partial order inclusion \subset :

$$a \subset b \Leftrightarrow a \cap b = a$$

- A **complementary lattice**

contains two elements n and e

with each element a an

complementary element a'

$$a \cap a' = n \quad a \cap n = n$$

$$a \cap e = a \quad a \cup a' = e$$

$$a \cup e = e \quad a \cup n = a$$

Orthocomplemented lattice

- Contains with each element a an element a'' such that:

$$a \cup a'' = e$$

$$a \cap a'' = n$$

$$(a'')'' = a$$

$$a \subset b \Leftrightarrow b'' \subset a''$$

Distributive lattice

$$\begin{aligned} a \cap (b \cup c) \\ = (a \cap b) \cup (a \cap c) \end{aligned}$$

$$\begin{aligned} a \cup (b \cap c) \\ = (a \cup b) \cap (a \cup c) \end{aligned}$$

Modular lattice

$$(a \cap b) \cup (a \cap c) = a \cap (b \cup (a \cap c))$$

Classical logic is an orthocomplemented modular lattice

Weak modular lattice

- There exists an element d such that

$$\begin{aligned} a \subset c &\Leftrightarrow (a \cup b) \cap c \\ &= a \cup (b \cap c) \cup (d \cap c) \end{aligned}$$

- where d obeys:

$$(a \cup b) \cap d = d$$

$$a \cap d = n \quad b \cap d = n$$

$$[(a \subset g) \text{ and } (b \subset g)] \Leftrightarrow d \subset g$$

Atoms

- In an atomic lattice

$$\exists_{p \in L} \forall_{x \in L} \{x \subset p \Rightarrow x = p\}$$

$$\forall_{a \in L} \forall_{x \in L} \{(a < x < a \cap p) \Rightarrow (x = a \text{ or } x = a \cap p)\}$$

p is an atom

Logics

- Classical logic has the structure of an orthocomplemented distributive modular and atomic lattice.
- Quantum logic has the structure of an orthocomplemented weakly modular and atomic lattice.
- Also called **orthomodular lattice**.

Hilbert space

- The set of closed subspaces of an infinite dimensional separable Hilbert space forms an orthomodular lattice
- Is lattice isomorphic to quantum logic

Hilbert logic

- Add **linear propositions**
 - Linear combinations of atomic propositions
- Add **relational coupling measure**
 - Equivalent to inner product of Hilbert space
- Close subsets with respect to relational coupling measure

- Propositions \Leftrightarrow subspaces
- Linear propositions \Leftrightarrow Hilbert vectors

Superposition principle

Linear combinations of linear propositions are again linear propositions that belong to the same Hilbert logic system

Isomorphism

- Lattice isomorphic
 - Propositions \Leftrightarrow closed subspaces
- Topological isomorphic
 - Linear atoms \Leftrightarrow Hilbert base vectors

Navigate

To start of Hilbert Book slides:

<http://vixra.org/abs/1302.0125>

To “Physics of the Hilbert Book Model”

<http://vixra.org/abs/1307.0106>