

Quantum FFF Theory, Poster News 2.

Author: Leo Vuyk.
Architect,
Design for new physics.
Rotterdam, The Netherlands.

Abstract,

FUNCTION FOLLOWS FORM in Quantum FFF THEORY.


The FORM and MICROSTRUCTURE of elementary particles, is supposed to be the origin of FUNCTIONAL differences between Higgs- Graviton- Photon- and Fermion particles. As a consequence, a NEW splitting, accelerating and pairing MASSLESS Dark Matter Black Hole, able to convert vacuum energy (ZPE) into real energy by entropy decrease, seems to be able to explain quick Galaxy- and Star formation, down to Sunspots, (Micro) Comets, Lightning bolts, Sprite Fireballs and Ball Lightning.

Recently, lots of new cosmological information inspired me to react by the production of poster images added with explanatory texts. The result of the latest three months is gathered in this issue.


Most posters added with the digital texts are also presented at my Flickr page:

<https://www.flickr.com/photos/93308747@N05/?details=1>

A hotspot for powerful cosmic rays found under the Big Dipper, by the University of Utah. The mysterious source of cosmic rays is also reason to look at the southern hemisphere to observe the opposing second Stellar Anchor Black Hole (SABH) (Cosmic ray production by NEW black hole paradigm according to Quantum-FFF Theory).



According to Quantum FFF Theory, “New Black Holes produce Proton– Electron plasma. By the strong Casimir vacuum push gravity on the BH, the “Lighter” electrons will stay outside the “heavier” proton horizon (blue). As a consequence BHs have a strong electric potential, which is liberated by asymmetric processes in dual BH systems like Herbig Haro objects showing strong electro magnetic effects in open cluster star formation and Birkeland Alfven circuits around the earth and even in the so called BICEP 2 results.




Scheme of the electric SABH principle around the sun.

Figure 1, Dual Stellar Anchor Black Holes: The origin of gravity speed exceeding the lightspeed. See: <http://vixra.org/abs/1103.0024>

Quantum Gravity and Electro Magnetic Forces by Dual Repulsive Vacuum Oscillation Spectra in FFF-Theory.

Solar Lensing differences and Angle Shift

Solar gravitational lensing effect shows irregular differences in directions (see angle!) and displacements of background stars!!(see: difference!) Suggestion: there are different centres of gravity inside the sun by gravitational Sunspots ! They seem to be the “new”black holes, as suggested by Quantum Function Follows Form Theory. (Author: Leo Vuyk).



“Angle Shift” and “Lensing Differences” explained by Solar pencil shaped gravity increase by aligned Sunspot black holes according to Quantum FFF Theory. See also: incidental local Earth effects.




Figure 2,

Potential Rosetta lander gravity problem by tilted (non perpendicular) gravity vector from the snowy surface of Comet 67P CG.





Figure 3,

Combined Sprite and micro-Dark Matter Black Hole (DMBH) production by EM interference above thunderclouds and fast DMBH evaporation by the oscillating Higgs field, according to Quantum FFF Theory.



Three or four interfering EM waves are supposed to create Sprites, sometimes ending up into small Quantum Knots called DMBHs. These knots evaporate by the attack of the energetic oscillating Higgs field vacuum.




Figure 4,

Production hypothesis for Quantum Knot Ball Lightning by Interference, Micro Comets and Dark Lightning, based on Photos and Langmuir fireball videos and Quantum FFF Theory 01-09-2013.






Figure 5,

Recent finding of Black Hole abundance in the CIB Cosmic Infra Red Background and X-ray : CXB, is a strong support for Quantum-FFF theory Black Hole splitting Big Bang—Contracting -Big Crunch cycle,



The CPT SYMMETRIC MULTIVERSE CYCLE.


The Inflation epoch starts if the decreasing vacuum pressure equals the increasing Higgs tension of the Big Crunch black hole nucleus. Inflation epoch ends if all splintered black hole nuclei are evaporated, or left behind as Galaxy Anchor Black Holes.




The Pulsating Multiverse depicted as a continuous flow of increasing and decreasing numbers free oscillating- and Black hole condensed Higgs particles and the amount of Quarks and leptons. The size of the pulsating multiverse vacuum is given in orange.

Figure 6,

Tripple Black Hole horizons found by NASA in accordance with Quantum FFF theory..



For tripple B-H horizons in Quantum FFF theory see (nrs: 7: Event horizon, 10: Inner photon ring, (10+11 =Fermion repulsion zone) 11: Photon ring)




- 1: Non rotating Black hole nucleus (in 2D cross section).
- 2: Reference axis for trajectories 4,5 and 6.
- 3: Other incoming photonic/Higgs fronts (without depicted trajectories)
- 7: High photon energy collider globular shell, with intense Quantum effects like pair production (e^-e^+). 8: test masses.
- 9: Butterfly shaped Higgs/photon Fermion pushing curves in 2D.
- 10 and 11: Fermion repulsion zone. Due to the propeller shape of the Fermions, they will experience a so called "Spin Flip" in this zone.

Figure 1,

Suggestion for the origin of UFO dust particles inside the LHC at CERN: particle based Quantum Knot heating according to Quantum FFF theory.



Comparison of UFO dust particles diam. 10 μm at CERN (left) inside ceramic tubes and on Silicon discharge globules in the lab. 100 μm (Right)



Below (in yellow) the Quantum Knot trajectory






Figure 2,

Quantum Knot based Micro Black Holes (Ball Lightning), produced by Photon interference in air and in Silicon globules according to Quantum FFF Theory.



Quantum Knots in air




TU/e Technische Universiteit Eindhoven University of Technology

1 mm
M.P.F.H.L. van Maris

Figure 3,


The NEW Black Hole Paradigm according to Quantum FFF Theory.



The NEW Black Holes is equipped with a Fermion repelling horizon. In addition Quantum Fluctuations produce twin Electron- Positron propeller shaped Fermion particles out of two convertible Higgsen. (See the 3D particle zoo of the theory) Quarks (d,u,) are created by the “dressing up” these twins with Photon/Gluon particles. So BHs create simple plasma clouds like Bock Globules and plasma pillars in Nebula and Herbig Haro objects. (Author Leo Vuyk)


Figure 4,

Electric Dark Matter Black Hole Comets and Icy remnants (e.g. Hyperion)




Hyperion, a Saturn moon

Cross section through a Megacryometeor or Terrestrial micro Comet nucleus.





Expected ice structure of the ellipsoidal ice chunk (Megacryometeor) found by J.M.Frais (Madrid). According to Quantum FFF theory this chunk should be the Nucleus of a Terrestrial Micro Comet, produced by a new paradigm black hole, which left the nucleus through the external hole, in consonance with the ice structure of the Hyperion moon. (author Leo Vuyk)



Megacryometeor

The relation between the Hyperion ice structure and the structure of a Megacryometeor as the result of Micro Black hole ice production inside both nuclei.


According to Quantum FFF Theory, even Nano interference Black Holes have a radial structured electric potential horizon layer (internal positive-protons and external negative electrons charged). They produce H₂ and water leading to the icy nuclei of Comets, Ball Lightning and Megacryometeors. The origin: a Fermion repulsion horizon of the black hole, see below.



7x Higgs quantum curves (2) are depicted for Fermions (3) with different distance to the BH. At location (10) the spin of the fermions will FLIP due to the propeller shape of the Fermion and an opposing force away from the horizon is created by the Higgs vacuum itself down to location (7). The zone between (7) and (10)

Figure 5,

Increased Light reflection areas at comet 67P CG, due to Carbon dust surface layer cracks originated by funnel pressure tectonics.



According to Quantum FFFTheory, Comet 67P C-G has an internal Hyperion/ Coral funnel structure (volcano alike, see below) in combination with Central dust production (H₂, O, C and even N) As a consequence, 67P shows a rough surface (with craters, trenches and peaks) continuously deformed and created by the dust production from the inside point sources.






Figure 6,



Carbonated Black Water Ice mountain peaks at Comet 67P- CG, is a strong indication for dual nuclear H₂, O and even C production, including upward pressure on ice mountain formation, from inside two nuclei of the Comet. According to Quantum FFF Theory. See:
<http://vixra.org/abs/1402.0044>
<http://vixra.org/abs/1104.0044>

Figure 7,

Comparison Hyperion (a former Comet) with Comet 67P-CG.



According to Quantum FFF Theory, Hyperion (Saturn's moon) is a former icy Comet left alone by its SINGULAR central Dark Matter Black Hole point source. Comet 67P C-G however, is an example of a multi nuclear Comet, with two major nuclei and several smaller nuclei. As a consequence of multiple nuclei, Comet 67P-CG shows a much more rough surface (with craters, trenches and peaks) created by ice production from the inside point sources. The point source remnants of the exploded Comet Shoemaker-Levy, are a clear sign of multiple nuclear Comets.

Shoemaker Levy remnants

Figure 8,

Birkeland Alfven current circuits of ions and electrons, between new physics (dual charged micro)-Dark Matter Black Holes, to be found inside dumbbell shaped Comets like 67P C-G, also in Herbig Haro systems, Galaxies and even stellar systems, according to Quantum FFF Theory. See: <http://vixra.org/abs/1402.0044>






Figure 9,

The origin of Electric Magnetic potential of single and double New Paradigm Dark Matter Black Holes.



According to Quantum FFF Theory, "New Black Holes produce Proton- Electron plasma. By the strong Casimir vacuum push gravity on the BH, the "Lighter" electrons will stay outside the "heavier" proton horizon (blue). As a consequence BHs have a strong electric potential, which is liberated by asymmetric processes in dual BH systems like Herbig Haro objects showing strong electro magnetic effects in open cluster star formation and Birkeland Alfven circuits around the earth and even in the so called BICEP 2 results.



Birkeland Alfven current circuits of ions and electrons, between new physics (negative charged micro)-Dark Matter Black Holes, to be found inside dumbbell shaped Comets like 67P C-G, also in Herbig Haro systems, Galaxies and even stellar systems, according to Quantum FFF Theory. See: <http://vixra.org/abs/1402.0044>







Figure 10,

Comparison of Birkeland Alfven current circuits inside Comets (67P by micro BHs) and Ultra Luminous IR Galaxies (by GABHs: Galaxy Anchor Black Holes) also found inside in Herbig Haro systems and Stellar systems, according to Quantum FFF Theory.


See: <http://vixra.org/abs/1402.0044>



Comet 67P Craters originated by aligned gravity point sources according to Quantum FFF Theory.



Galaxy Anchor Black Hole (GABH)-
Effect on High speed gas ejection.




Massive molecular outflows and negative feedback in ULIRGs observed by Herschel-PACS

ESA/Rosetta/MPS for OSIRIS Team MPS/UPD/LAM/IAA/SSO/INTA/UPM/DASP/IDA

Figure 17,

Birkeland Alfvén current circuits of negative charged ions and electrons, between (New Physics) Dark Matter Black Hole nuclear charge splitters, will be found inside dumbbell shaped Comets like 67P C-G, also in Herbig Haro systems, Galaxies and even stellar systems (e.g. Eta Carina), according to Quantum FFF Theory.




Two Charge splitting new physics black holes are supposed to polarize the local oscillating Higgs field as the origin of negative charged Birkeland Alfvén current circuits (Orange arrows) As a consequence jets of dust (Blue arrows) are observed from the “neck” of 67P and the neck of Eta Carina. (below)



Figure18,

Small Dark Matter Black Holes created by EM interference at the solar surface, some will leave the sun as future Comet nuclei, according to Quantum FFF Theory.



Dual Dark Matter Black Hole based sunspots seem to be responsible for strong magnetic field interference, just as observed for Herbig Haro objects and many other objects in the cosmos.






Figure19,

LASOF Lightspeed ($c\pm v$) extinction ellipsoid around massive objects as the origin of the anomalous Quasi Periodic Oscillations and the a-symmetric light curves called the O'Connell effect. According to Quantum FFF Theory.




Eclipsing Binary Stars are observed to be alternating red- or blueshifted with a wobbling redshift if passing in front of the other and called "QUASI PERIODIC OSCILLATIONS" (↘) Just like the passing of the SUN by VENUS (see I.I.Shapiro)



Extra RED shift by C-V

Extra Blue shift by C+V



Radial velocity curves for HV2543 binary

Figure 20,

3D Star of David as a part of a Quantum FFF theory based vacuum lattice.

The lattice model is called: Truncated Tetrahedron Lattice.

Each vacuum lattice is supposed to be unstable and chiral (right or left handed), which seems to be a need for a real vacuum lattice forming respectively a material- or anti-material universe.

Each lattice represents two oscillating Higgs field vacuum particles, assumed to be able to transfer photonic wave information. Such as graviton and Electro magnetic and even Neutrino information.

Fermions are supposed to be propelled and guided by the vacuum.





Figure 11,



Geometrical proposal for the sub-quantum structure of 6 Leptons and Quarks interpreted as compound Photon/Electron Positron propeller combinations. Muon- and Tau particles seem to show up as family members of the Down respectively Charm Quarks. According to Quantum FFF Theory. (Function Follows Form in particle physics)




Figure 12,

B-Meson oscillations explained by the 3D compound particle system (left side) predicted by Quantum FFF Theory. (Oscillations depicted at the right side.)

The Bottom Quark changes into a Strange Quark by the losing ONE electron. Or backwards. The Anti Bottom Quark changes into an Anti Strange Quark by losing ONE positron. Or backwards. Suggestion: B meson oscillation is based on the exchange of an electron positron pair. See also: "3D String Based alternative particle model" at: <http://vixra.org/pdf/1103.0002v4.pdf>





Figure 13,

Solar Coronal Filamentary structure forming Network Jets (or Ballet Tutus) caused by dual Sunspot Black Hole Filament Pinching according to Quantum FFF Theory. The dual Black Hole systems seem to act at different distant levels from the surface (see arrows)



Filamentary Structures forming Network Jets are also observed in Nebula (Eta Carina) and Comets like 67P-CG.



Figure 14,

SOURCE: ESA/ROSSET

2 Diagrams of a 12 fold Raspberry Multiverse showing preplanning (RPI) of one of the instant entangled copy subjects in the Benjamin Libet lab, with- and without a Veto action of one of the copy subjects. (according to Quantum FFF Theory)




Figure 15, See; Democratic Free Will, at:] [viXra:1401.0071](https://arxiv.org/abs/1401.0071)

References:

[54] [viXra:1410.0039](https://arxiv.org/abs/1410.0039) replaced on 2014-10-21 04:45:38, (43 unique-IP downloads)

Evidence for Electric Dark Matter Black Hole Dust Production Inside Comets Like 67P,C-G.

[53] [viXra:1409.0164](https://arxiv.org/abs/1409.0164) replaced on 2014-09-26 03:50:25, (13 unique-IP downloads)

The O'Connell Effect in Eclipsing Binaries Explained by Mass Related Light Speed Extinction Distances (Lasof) of Stars and Even Planets.

[52] [viXra:1407.0001](https://arxiv.org/abs/1407.0001) replaced on 2014-07-06 02:57:56, (21 unique-IP downloads)

Evidence for Evaporating Dark Matter Particles in Silicon Fireballs.

[51] [viXra:1406.0076](https://arxiv.org/abs/1406.0076) submitted on 2014-06-13 05:01:45, (59 unique-IP downloads)

Galaxy Formation and Evolution According to Quantum FFF Theory.

50] [viXra:1406.0019](https://arxiv.org/abs/1406.0019) submitted on 2014-06-04 08:37:05, (51 unique-IP downloads)

Quantum FFF Theory Proposals for Some Unsolved Physics Problems.

[49] [viXra:1405.0224](#) replaced on 2014-05-16 03:38:59, (39 unique-IP downloads)

Dual Star Ejection in Open Star Clusters by the Central Star.

[48] [viXra:1404.0151](#) submitted on 2014-04-16 02:40:57, (31 unique-IP downloads)

Future Free Energy of New Physics Ball Lightning Black Holes, the Origin of a Super Social Society or the Opposite?

Authors: [Leo Vuyk](#)

Category: [History and Philosophy of Physics](#)

[47] [viXra:1404.0002](#) replaced on 2014-04-09 06:45:33, (158 unique-IP downloads)

Proposal for the Origin of Unexpected Large B-Modes Found in the Bicep2 Measurements.

[46] [viXra:1402.0132](#) submitted on 2014-02-20 05:54:38, (64 unique-IP downloads)

Reconciliation of GR and QM by a New Gravity-Black Hole and Lightspeed Model Called Quantum- FFF Theory.

[45] [viXra:1402.0044](#) replaced on 2014-08-27 06:56:36, (191 unique-IP downloads)

The Impossible Zero Point Electric Black Hole as the Origin of New Physics even for Comets like 67P,C-G.

[44] [viXra:1401.0115](#) submitted on 2014-01-16 09:40:47, (40 unique-IP downloads)

Calabi Yau Shaped Double Fermion Spin States.

[43] [viXra:1401.0071](#) replaced on 2014-01-21 05:28:17, (158 unique-IP downloads)

Democratic Free Will in the Instant Entangled Multiverse.

[42] [viXra:1312.0143](#) replaced on 2014-04-17 02:51:16, (93 unique-IP downloads)

The Navel Cord Multiverse with Raspberry Shape, a Super Symmetric Entangled 12 Fold Bubble Universe.

[41] [viXra:1312.0076](#) submitted on 2013-12-11 08:09:05, (83 unique-IP downloads)

Are Sunspots Made of Gravitating Dark Matter Black Holes?

[40] [viXra:1310.0101](#) replaced on 2014-04-01 04:41:04, (146 unique-IP downloads)

The New Nuclear Magic Number (34) Explained by the Polar Coaxial Ring System of Quantum FFF Theory.

[39] [viXra:1310.0059](#) submitted on 2013-10-09 05:08:23, (56 unique-IP downloads)

The Semi Relativistic Higgs Field Aether with Mass Related Lightspeed Adaptation.

[38] [viXra:1309.0081](#) replaced on 2013-09-17 07:29:05, (84 unique-IP downloads)

New Physics by Table Top Experiments.

[37] [viXra:1308.0083](#) replaced on 2013-08-19 05:10:51, (193 unique-IP downloads)

The Raspberry Shaped Super Symmetric Multiverse

[36] [viXra:1307.0068](#) submitted on 2013-07-16 05:23:54, (63 unique-IP downloads)

Quantum Function Follows Form Theory, the Small Scale, Posters part 1.

[35] [viXra:1307.0067](#) submitted on 2013-07-16 07:33:42, (37 unique-IP downloads)

Quantum Function Follows Form Theory, the Large Scale, Posters part 2.

[34] [viXra:1306.0218](#) submitted on 2013-06-26 07:28:37, (108 unique-IP downloads)

Dark Matter UFO Dust Particles or Quantum Knots in the LHC at CERN ?

[33] [viXra:1306.0065](#) replaced on 2013-06-18 05:37:37, (218 unique-IP downloads)

The Splitting Dark Matter- Black Hole- Big Bang and the Cyclic Multiverse.

[32] [viXra:1305.0140](#) submitted on 2013-05-23 06:47:25, (115 unique-IP downloads)

Quantum FFF Theory Experiments, a Summary.

[31] [viXra:1305.0041](#) replaced on 2013-05-22 06:22:38, (121 unique-IP downloads)

The Shnoll Effect Explained by Quantum FFF Theory.

[30] [viXra:1304.0022](#) replaced on 2013-12-18 03:09:40, (135 unique-IP downloads)

The Self Organizing Universe in the Carina- and other Nebula.

[29] [viXra:1303.0211](#) submitted on 2013-03-29 02:50:40, (42 unique-IP downloads)

Hubble Redshift Combined with Universal Contraction is Possible.

[28] [viXra:1303.0053](#) replaced on 2014-10-02 11:29:25, (175 unique-IP downloads)

Birkeland Alfven Current Circuits Between Two RF Generated Plasma Balls in the Laboratory and Two New Paradigm Black Holes in Space.

[27] [viXra:1302.0172](#) replaced on 2013-05-30 14:14:58, (168 unique-IP downloads)

Silicon Based Ball Lightning Globule Structures and Signs for Accumulation and Retarded Decrease of Tunneling Energy Bullets.

[26] [viXra:1301.0088](#) replaced on 2014-02-18 04:35:56, (37 unique-IP downloads)

Two or Three Large Quasar Groups (LQGs) Located at the Start of Two or Three Lyman Alpha Systems and a Part of the Raspberry Multiverse?

[25] [viXra:1301.0050](#) replaced on 2013-06-28 05:06:10, (99 unique-IP downloads)

Dwarf Galaxies and Their Relation with Dark Matter Based Galaxy Anchor Black Holes (Gabhs).

[24] [viXra:1210.0177](#) submitted on 2012-10-30 12:14:51, (80 unique-IP downloads)

Instant Broglie Bohm Pilot Waves, the Origin of All Entanglement Effects in the Lab and Wavefunction Collapses in Our Universe as Related to Our Opposing Anti-Copy Universe(s) According to Quantum FFF Theory.

[23] [viXra:1209.0092](#) submitted on 2012-09-25 11:27:45, (116 unique-IP downloads)

New Dark Matter Black Holes and a New Dark Energy Higgs Field, Lead to a Bouncing CP Symmetrical Multiverse, and New Experiments.

[22] [viXra:1209.0061](#) replaced on 2012-10-04 01:49:20, (141 unique-IP downloads)

Birkeland Currents, Sunspots, Comets and Ball Lightning Originated by New Paradigm Dark Matter Black Holes.

[21] [viXra:1209.0030](#) submitted on 2012-09-11 08:04:10, (34 unique-IP downloads)

Majorana and Sterile Neutrino Solutions in the Quantum-FFF Model.

[20] [viXra:1208.0031](#) replaced on 2013-12-16 09:05:48, (64 unique-IP downloads)

Clumpy Dark Matter Around Dwarf Galaxies a Support for an Alternative Black Hole Theory According to the Quantum Function Follows Form Model.

[19] [viXra:1202.0091](#) replaced on 2012-10-31 13:09:19, (192 unique-IP downloads)

Earth Magnetic Monopole Array Field Interaction with Cyclotron – Synchrotron Electrons and Muon Conversion Used for Levitation Systems.

[18] [viXra:1201.0092](#) submitted on 2012-01-25 07:41:09, (109 unique-IP downloads)

Earth Magnetic Monopole Array Field Interaction with Cyclotron Electrons used for Levitation Systems.

[17] [viXra:1112.0065](#) replaced on 2011-12-21 09:35:23, (200 unique-IP downloads)

LHC Signals Between 121-130 Gev Interpreted with Quantum-FFF Theory

[16] [viXra:1111.0096](#) submitted on 2011-11-29 10:58:44, (202 unique-IP downloads)

Reconciliation of QM and GR and the Need for a Pulsating Entangled CPT Symmetric Raspberry Shaped Multiverse.

[15] [viXra:1111.0061](#) submitted on 15 Nov 2011, (197 unique-IP downloads)

Black Hole Horizon Curvature Dependent Balance Between Plasma Creation and e-e+ Annihilation in Quantum FFF Theory.

Authors: [Leo Vuyk](#)

Category: [Astrophysics](#)

[14] [viXra:1108.0036](#) replaced on 2013-01-23 05:29:00, (215 unique-IP downloads)

Artificial Ball Lightning Production and Exploitation Device for Zero Point Electric Energy Usage.

[13] [viXra:1108.0006](#) replaced on 2013-08-28 12:40:07, (76 unique-IP downloads)

Mass in Motion in Quantum FFF Theory.

[12] [viXra:1104.0083](#) submitted on 28 Apr 2011, (128 unique-IP downloads)

Quantum FFF Theory in Posters.

[11] [viXra:1104.0044](#) replaced on 2014-05-22 15:16:38, (367 unique-IP downloads)

Ball Lightning, Micro Comets, Sprite-Fireballs, Solar Bright Points and Xray/ Gamma Flashes According to Quantum FFF Theory.

[10] [viXra:1104.0002](#) replaced on 2014-07-18 03:05:21, (152 unique-IP downloads)

Stellar Anchor Black Holes as the Remnants of Former Herbig Haro Objects and as Cosmic Ray Hotspots.

[9] [viXra:1103.0097](#) submitted on 23 Mar 2011, (286 unique-IP downloads)

ZPE Zero Point Energy Examples Around Black Holes.

[8] [viXra:1103.0068](#) submitted on 16 Mar 2011, (62 unique-IP downloads)

Funktion Follows Form, at the Quantum Scale and Beyond.

[7] [viXra:1103.0024](#) replaced on 2014-02-05 03:46:15, (563 unique-IP downloads)

Quantum Gravity and Electro Magnetic Forces by Dual Repulsive Vacuum Oscillation Spectra in FFF-Theory.

[6] [viXra:1103.0015](#) submitted on 5 Mar 2011, (345 unique-IP downloads)

Wavefunction Collapse and Human Choice-Making Inside an Entangled Mirror Symmetrical Multiverse.

[5] [viXra:1103.0011](#) replaced on 2012-06-28 07:35:00, (173 unique-IP downloads)

An Alternative Black Hole, Provided with Entropy Decrease and Plasma Creation

[4] [viXra:1103.0002](#) replaced on 2011-12-11 02:20:47, (570 unique-IP downloads)

3 Dimensional String Based Alternative Particles Model

Authors: [Leo Vuyk](#)

Category: [High Energy Particle Physics](#)

[3] [viXra:1102.0056](#) replaced on 2013-04-11 05:54:47, (252 unique-IP downloads)

Experiments to Determine the Mass Related Lightspeed Extinction Volume

[2] [viXra:1102.0054](#) submitted on 27 Feb 2011, (339 unique-IP downloads)

Atomic Nuclear Geometry Based on Magic Number Logic.

[1] [viXra:1102.0052](#) replaced on 2013-05-08 07:00:39, (339 unique-IP downloads)

Construction Principles for Chiral “atoms of Spacetime Geometry.