

*Universal Natural Memory Embedding*

*June 4<sup>th</sup> through 15<sup>th</sup> 2016 Anno Domini and before*

**Author: Ramesh Chandra Bagadi**



*Founder, Owner, Co-Director And Advising Scientist In Principal  
Ramesh Bagadi Consulting LLC (R420752), Madison, Wisconsin-53715, United States Of America.*

*Email: rameshcbagadi@uwalumni.com*

*Home Address:*

*MIG-905, Mithilapuri Colony,  
VUDA Layout, Madhuravada, Visakhapatnam 530 041,  
Andhra Pradesh State, India.*

*Telephones:*

*+91-9440032711*

*+91-7702721450*

*+91-891-2501619*

*White Paper One {TRL188.881.69.96.1.1.1}*

*of*

*Ramesh Bagadi Consulting LLC, Advanced Concepts & Think-Tank,  
Technology Assistance & Innovation Center, Madison, Wisconsin-53715,  
United States Of America*

## Abstract

In this research investigation, the author has presented a theory of ‘*Universal Natural Memory Embedding*’.

## Theory

**Universal Sequence Of Primes Of 2<sup>nd</sup> Order Space {2, 3, 5, 7, 11, 13,.....}**

Firstly, we consider a Set containing two known consecutive Primes starting from the beginning, namely, 2 and 3.

$$S_1 = \{2, 3\}$$

We now consider the Set formed by considering the ascending order arrangement of the elements of  $S_1 = \{2, 3\}$

$$S_{1A} = \{2, 3\}$$

We now consider  $S_{1A} = \{2, 3\}$  and implement the following Scheme

$\{2, 3\}$  which can be written as

$\{x, x+1\}$  we now normalize this set in the following fashion

$\left\{x, x + \frac{1}{x}\right\}$  which we re-write as

$\{x^2, x^2 + 1\}$  where, we have omitted the denominator.

We now substitute the value of  $x = 2$  and get

$$S_{1A \text{ POSSIBLE PRIMES MAP}} = \{4, 5\}$$

Since, the first element is a Squared number as can be observed, we can note that the second element of  $S_{1A \text{ POSSIBLE PRIMES MAP}} = \{4, 5\}$  is Prime.

We now re-write the Primes Set in ascending order as  $S_2 = \{2, 3, 5\}$

We again consider all Two Element Sets of  $S_2 = \{2, 3, 5\}$  and arrange the elements in them in ascending order.

These are

$$S_{2A1} = \{2, 3\}$$

$$S_{2A2} = \{3, 5\}$$

$$S_{2A3} = \{2, 5\}$$

When we implement the above Scheme in the box, we get

$$S_{2A1} = \{2, 3\} \text{ gives Prime } 5$$

$$S_{2A2} = \{3, 5\} \text{ gives Prime } 11$$

$$S_{2A3} = \{2, 5\} \text{ gives Prime } 7$$

We now re-write the Primes Set as  $S_3 = \{2, 3, 5, 7, 11\}$

We again consider all Two Element Sets of  $S_3 = \{2, 3, 5, 7, 11\}$  and arrange the elements in them in ascending order.

When we implement the above Scheme in the box on these sets, we get some more Primes.

We keep repeating this procedure till we find all the Primes up to a Desired Limit.

*Note:* We can also consider this whole investigation considering the Descending Order case, but this gives Primes only occasionally\*.

(\* For more on this, see author)

## Universal Sequence Of Primes Of Any Integral Order Space

### *Definition*

A Number is considered as a Prime Number in a Certain Higher Order Space, say R is Only factorizable into a Product of (R-1) factors {of (R-1) Distinct Non-Reducible Numbers (Primes)}.



*Example:*

<b>First Few Elements Of Sequence's Of {Multi Distinct Dimensional Primes} Primes</b>	<b>Of R<sup>th</sup> Order Space</b>
{2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47, 53, 59, ...}	R=2
{6 (3x2), 10 (5x2), 14 (7x2), 15 (5x3), 21 (7x3), 22 (11x2), 26 (13x2), 33 (11x3), 34 (17x2), 35 (7x5), 38 (19x2), 39, (13x3), 45 (9x5), ... }	R=3
{30 (5x3x2), 42 (7x3x2), 70 (7x5x2), 84 (7x4x3), 102 (17x3x2), 105 (17x3x2), 110 (11x5x2), 114 (19x3x2), 130 (13x5x2), ...}	R=4
210 (7x5x3x2), 275 (11x5x3x2), 482 (11x7x3x2), 770 (11x7x5x2), 1155 (11x7x5x3), ...	R=5
...	...

### **Relative Prime Metric**

The author calls this above method of finding the third number given any two numbers as the method of Relative Prime Metric Of 2<sup>nd</sup> Order.

### **Generating An Entire Field (of Sequence of Numbers) Given Any Two Numbers**

Using this Scheme, one can find an entire Universe (of Sequence of Numbers) given any two numbers. The Universe (of Sequence of Numbers) generated conforms to Relative Prime Metric.

Given randomly, any two numbers, say  $\{a, b\}$ , we can find out the entire Universe of Numbers using the above Scheme, wherein we write  $\{a, b\}$  as

We now consider  $R_{1A} = \{a, b\}$  and implement the following Scheme

$\{a, b\}$  which can be written as

$\{a, a + (b - a)\}$  we now normalize this set in the following fashion

$\left\{a, a + \frac{(b - a)}{a}\right\}$  which we re-write as

$\{a^2, a^2 + (b - a)\}$  where, we have omitted the denominator.

For Example, for the Set  $R_{1A} = \{a, b\} = \{12, 31\}$

We now substitute the value of  $a = 12$  and  $b = 31$  get

$$S_{1A \text{ POSSIBLE GENERATED ELEMENTS MAP}} = \{144, 163\}$$

We can note that the second element of  $S_{1A \text{ POSSIBLE GENERATED ELEMENTS MAP}} = \{144, 163\}$  is the Generated Element.

Furthermore, one can also modify the Scheme of Field Generation using

$\left\{a, a + \frac{(b - a)}{a^f}\right\}$  instead of just  $\left\{a, a + \frac{(b - a)}{a}\right\}$  where  $f$  can be considered as any

Field of the Real, the Complex, the Integer, the Irrational, etc. Also,  $f$  can be some Function as well. The Field (of Numbers) Generated by  $f$  upon employing our Scheme is the Generated Field.

*Example: Generating The Universal Sequence Of Primes Of  $N^{\text{th}}$  Order*

To find the Universal Sequence Of Primes Of Any Integral Order Space, (say  $N^{\text{th}}$  Order Space) we simply consider modification to the Scheme to employ method of Relative Prime Metric Of  $N^{\text{th}}$  Order is simply changing  $\left\{a, a + \frac{(b - a)}{a}\right\}$

to  $\left\{a, a + \frac{(b-a)}{a^{N-1}}\right\}$ . That is, the Standard Sequence of Primes found using this Scheme are Second Order Space Sequence Of Primes, where  $\{a, b\}$  are the first two terms of the respective  $N^{\text{th}}$  Order Sequence of Primes which can be arrived at by reasoning mathematically.

### Relative Metric

From the above, one can infer that Relative Metric Generator for the two terms  $\{a, b\}$  can be given by  $\left\{a, a + \frac{(b-a)}{a^f}\right\}$  with respect to the above Scheme, where  $f$  can be considered as any Field of the Real, the Complex, the Integer, the Irrational, etc. Also,  $f$  can be some Function as well. The Field (of Numbers) Generated by  $f$  upon employing our Scheme is the Generated Field.

#### Example: The Field Of Prime Numbers

We have already seen that taking  $f = 2 - 1 = 1$  gives us the Field of 2<sup>nd</sup> Order Space Universal Sequence of Primes, i.e.,  $\{2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47, 53, 59, \dots\}$

Also, one should note that All Natural Phenomena manifest themselves in Conformation to Metric such as  $\left\{a, a + \frac{(b-a)}{a^f}\right\}$ . That is, this is their *Quantization Scheme*, only that different Phenomena have different  $f$ .

**Example: The Universal Field: Theory Of Every Thing**

Let us say, we have evaluated the  $f$ 's for the Electric Field, the Magnetic Field, the Nuclear Field, the Gravity Field, etc., (considering  $r$  different types of Fields) and they are given by

$$f_1, f_2, f_3, f_4, \dots \dots \dots f_{(r-1)}, f_r$$

We can then find the LCM (Lowest Common Multiple of all these  $f$ 's), say it is  $f_{LCM \text{ of } (i=1 \text{ to } r)}$ .

We now Create a Relative Metric in the fashion

$$x + \frac{1}{x^{f_{LCM \text{ of } (i=1 \text{ to } r)}}$$

which can explain (upon employing the afore-stated Scheme) all the Fields Simultaneously.

*Note:*

$f_i$  can be any Field of the Real, the Complex, the Integer, the Irrational, etc.  
Also,  $f_i$  can be some Function as well.

***Scheme to Generate The Entire Elements Of A Field Given Three Elements Of It***

Say, only any three elements of a Field characterized by the Field Generator Metric of the type  $\left\{ a, a + \frac{(b-a)}{a^f} \right\}$

are given, them being  $\{a_i, a_j, a_k\}$ , we find  $f$  from the equation  $a_k = a_i^{f+1} + (a_j - a_i)$  employing the aforementioned scheme using the Field Generating Metric

of the type  $\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\}$ . Once, we find  $a_r$ , we find the Intermediate elements  $a_p$  between any two elements  $a_p$  and  $a_p$  using the relation

$a_q = a_p^{f+1} + (a_r - a_p)$  where  $a_p < a_r < a_q$ . Once, we find this element  $a_r$ , using all possible combinations among the 4 elements present now, and using the relation

of the type  $a_q = a_p^{f+1} + (a_r - a_p)$ , we find more and more intermediate elements, and so on, so forth. In this fashion, we find all the Intermediate Elements between any given three elements of the Field. Needless to mention, we can always generate elements of a Field on the Higher Side, given any two Elements of it, using the scheme detailed in the previous sections.

### Complete Recursive Sub-Sets Found To Exhaustion Of A Set

### The Example Of The Same Explaining The Quantization Scheme Of Any Universal Natural Manifestation In Holisticness

### Primality Tree Of Any Set

Firstly, we consider any given Set  $S$ , we find all its Sub-Sets that have at least three elements in it. For each of these subsets  $S_{1(n1)}$ , we choose (approve) it, if the elements therein conform to a Field generated by the Metric Generator of

the type  $\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\}$  or

$$a_k = a_i^{f+1} + (a_j - a_i)$$

where  $f$  runs from 1, 2, 3, 4, .....until whichever value the subset calls for satisfying this constraint. If  $f$  is Positive Non-Integer Real say  $x$ , then it runs from  $x, x+1, x+2, x+3, x+4, \dots$  until whichever value the subset calls for

satisfying this constraint. We again find all the Sub-Sets  $S_{2(n2)}$  of each of the  
 aforementioned SubSets  $S_{1(n1)}$  that have atleast three elements in it.

For each of these subsets  $S_{2(n2)}$ , we choose (approve) it, if the elements therein  
 conform to a Field generated by the Metric Generator of the type

$$\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\} \text{ or}$$

$$a_k = a_i^{f+1} + (a_j - a_i)$$

where  $f$  runs from 1, 2, 3, 4, .....until whichever value the subset calls for  
 for satisfying this constraint. If  $f$  is Positive Non-Integer Real say  $x$ , then it  
 runs from  $x$ ,  $x+1$ ,  $x+2$ ,  $x+3$ ,  $x+4$ , .....until whichever value the subset

calls for satisfying this constraint. We again find all the Sub-Sets  $S_{3(n3)}$  of each  
 of the aforementioned SubSets  $S_{2(n2)}$  that have atleast three elements in it.

For each of these subsets  $S_{3(n3)}$ , we choose (approve) it, if the elements therein  
 conform to a Field generated by the Metric Generator of the type

$$\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\} \text{ or}$$

$$a_k = a_i^{f+1} + (a_j - a_i)$$

where  $f$  runs from 1, 2, 3, 4, .....until whichever value the subset calls for  
 for satisfying this constraint. If  $f$  is Positive Non-Integer Real say  $x$ , then it  
 runs from  $x$ ,  $x+1$ ,  $x+2$ ,  $x+3$ ,  $x+4$ , .....until whichever value the subset

calls for satisfying this constraint. We keep repeating this procedure to  
 exhaustion, till we can find no more of such sub-sets in the above fashion. The  
 chosen and/ or approved sub-sets form the Complete Recursive Sub-Sets of the

$S$  which characterize and/ or Explain The Quantization Scheme Of Any Set

Universal Natural Manifestation In Holisticness. The Collection of such Complete Recursive Sub-Sets Of  $S$  form the Primality Tree of  $S$ .

*Example:* One can also find the Primality Tree of a Set for the case where  $f$  takes the values 2, 3, 5, 7, 11, 13,.....(the Second Order Sequence Of Primes) until whichever value the subset calls for for satisfying this constraint.

*Example:* One can also find the Primality Tree of a Set for the case where  $f$  takes the values {of (any)  $R^{\text{th}}$  Order Sequence Of Primes} until whichever value the subset calls for for satisfying this constraint.

Note: When we refer to the the Field Generating Metric of the type

$$\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\} \text{ or}$$

$$a_k = a_i^{f+1} + (a_j - a_i)$$

where  $f$  runs from 1, 2, 3, 4, .....until whichever value the subset calls for

satisfying this constraint, we mean that  $a_k, a_i, a_j, f$  are (supposedly) different for each such Recursive Sub-Set referred above. For simplicity, the author has denoted the Field Generating Metric by the expression used in general.

Note:

Also, for any Set, the  $f$ 's comprising the various Field's of the Primality Tree of Any Set can take any Real Positive Values (Integer and Non-Integer as well).

### ***The Universal Irreducible Any Field Generating Metric***

Considering a Field generating Metric of the type  $\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\}$  or

$a_k = a_i^{f+1} + (a_j - a_i)$  where  $f$  is a positive Real Number and/ or any function.

We will show using the following Example that such a Field Generating Metric can always be expressed in terms of the Universal Standard Normal Prime

Sequence Type Field Generating Metric of the type  $\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i} \right\}$  or  $a_k = a_i^2 + (a_j - a_i)$ .

**Example:** One can note that one can express

$$a_k = a_i^{f+1} + (a_j - a_i) \text{ as}$$

$$a_k = \left\{ \left\{ \overbrace{\left\{ a_i^2 + (a_j - a_i) \right\}}^{\text{UniversalStandardNormalPrimeSequenceTypeFieldGeneratingMetric}} - (a_j - a_i) \right\}^{\frac{f+1}{2}} + (a_j - a_i) \right\}$$

**Example:**

Also, one can note that, in a Field Generating Metric of the type

$$\left\{ a_i, a_i + \frac{(a_j - a_i)}{a_i^f} \right\} \text{ or}$$

$a_k = a_i^{f+1} + (a_j - a_i)$  where  $f$  is a positive Real Number and/ or any function, we can re-write  $a_i^f$  as

$$a_i^f = \sum_{k=1}^s \gamma_k a_i^k \text{ where } k = 1, 2, 3, 4, \dots, r \text{ where } s \text{ is a number that one can choose}$$

for achieving a desired level of Least Count Accuracy in the analysis of concern. and,  $\gamma_k$  are constants.

### Universal Natural Memory Embedding

By now, from the above detailed author's literature, one can note that all Universal Natural Manifestations are functions of the Universal Standard Normal Prime Sequence (Sub-Sets) Generating Metric. Also, since man made aspects are also images of man's manifestations and as man is a natural manifestation, man made aspects also are (almost) functions of functions of the

Universal Standard Normal Prime Sequence (Sub-Sets) Generating Metric, to a good degree. Therefore, most Data (man made) can be compactly embedded using the  $f$ 's of the Field generating metric.

To this end, one can first label all the data (of a given data set) with respect to a co-ordinate system which characterizes the Data Storage Format. We now integrate this Data Co-ordinate with the Data point in such an optimal fashion\* such that the Data point with its Data co-ordinate is represented by one new Data point. In this fashion, we update all the Data points of the given Data Set. Using the author's above detailed literature, we now find all the Field's i.e.,  $f$ 's present in the given data set. Once, we do this, we find the Universal Primality tree of the Data Set. Also, we use appropriate labels to denote the discrete nature, if any of the field's elements present therein. One can summarily represent any entire branch of the Primality tree by the first two elements and the  $f$  of the branch. In this fashion, one can compress data efficiently and can denote entire data set by a Data Set generating much smaller data set. Also, one can apply this procedure on this compacted data set again and we can continuously repeat such compaction again and again and so on so forth till we can no more do so. This final compacted set is the Universal Naturally Memory Wise Embedded Set for any given set. This set can also be called as the **Universal Recursion Scheme** of the Given Data Set.

\*one that gives the best memory Embedding efficiency.

## **Moral**

*The Fear Of Your Lord Is The Beginning Of Wisdom.*

## **References**

Ramesh Chandra Bagadi

[www.vixra.org/author/ramesh\\_chandra\\_bagadi](http://www.vixra.org/author/ramesh_chandra_bagadi)

## ***Acknowledgements***

*The author would like to express his deepest gratitude to all the members of his loving family, respectable teachers, en-dear-able friends, inspiring Social Figures, highly esteemed Professors, reverence deserving Deities that have deeply contributed in the formation of the necessary scientific temperament and the social and personal outlook of the author that has resulted in the conception, preparation and authoring of this research manuscript document.*

### ***Tribute***

*The author pays his sincere tribute to all those dedicated and sincere folk of academia, industry and elsewhere who have sacrificed a lot of their structured leisure time and have painstakingly authored treatises on Science, Engineering, Mathematics, Art and Philosophy covering all the developments from time immemorial until then, in their supreme works. It is standing on such treasure of foundation of knowledge, aided with an iota of personal god-gifted creativity that the author bases his foray of wild excursions into the understanding of natural phenomenon and forms new premises and scientifically surmises plausible laws. The author strongly reiterates his sense of gratitude and infinite indebtedness to all such 'Philosophical Statesmen' that are evergreen personal librarians of Science, Art, Mathematics and Philosophy.*

### ***Dedication***

*All of the aforementioned Research Works, inclusive of this One are **Dedicated to Lord Shiva.***