SOME CONJECTURES ON INEQUALITIES IN OPERATOR AXIOMS

PITH PEISHU XIE

ABSTRACT. The Operator axioms have deduced number systems. In this paper, we conjecture some inequalities in Operator axioms. The general inequalities show the value of Operator axioms.

1. Introduction

In [3], we define the Operator axioms to extend the classical real number system. The classical real number system only includes special irrational numbers. However, Operator axioms import general irrational numbers to construct a complete real number system. In this paper, we apply Operator axioms to generalize various inequalities. The general Bernoulli's Inequality show the value of Operator axioms.

In [4, TABLE 2], we have defined some replacements for the notations of the Operator axioms. In this paper, we will apply these concise replacements.

The paper is organized as follows. In Section 2, we conjecture some commutative inequalities in Operator axioms. In Section 3, we conjecture some distributive inequalities in Operator axioms. In Section 4, we conjecture a general Bernoulli's inequality in Operator axioms.

2. Some Commutative Inequalities In Operator Axioms

In this section, we suppose that $a \in [1, +\infty)$, $b \in [1, +\infty)$, $c \in [1, +\infty)$ are real numbers.

Conjecture 2.1. If $n \in N$, then $[[a +'_n b] + [b +'_n a]] \leq [[a +'_n a] + [b +'_n b]]$ holds.

Conjecture 2.2. If $n \in N$, then $[[a +'_n b] + +[b +'_n a]] \leq [[a +'_n a] + +[b +'_n b]]$ holds.

Conjecture 2.3. If $n \in N$, then $[[a -'_n a] + [b -'_n b]] \leq [[a -'_n b] + [b -'_n a]]$ holds.

Conjecture 2.4. If $n \in N$, then $[[a -'_{[n+1]} a] + +[b -'_{[n+1]} b]] \leq [[a -'_{[n+1]} b] + +[b -'_{[n+1]} a]]$ holds.

Conjecture 2.5. If $n \in N$, then $[[a/_n a] + [b/_n b]] \leq [[a/_n b] + [b/_n a]]$ holds.

3. Some Distributive Inequalities In Operator Axioms

Conjecture 3.1. If $n \in N$, then $[[a +'_{[n+2]} b] +'_{[n+1]} [a +'_{[n+2]} c]] \leq [[a +'_{[n+2]} [b + c]]]$ holds.

Conjecture 3.2. If $n \in N$ and $b \le c$, then $[[a +'_{[n+1]} b] +'_{[n+1]} c] \le [[a +'_{[n+1]} [b + +c]]]$ holds.

Conjecture 3.3. If $n \in N$, then $[[a -'_{[n+2]}[b+c]]] \leq [[a -'_{[n+2]}b] +'_{[n+1]}[a -'_{[n+2]}c]]$ holds.

²⁰¹⁰ Mathematics Subject Classification. Primary 26D99; Secondary 47H99, 97F50.

Key words and phrases. inequalities, operator, real numbers.

Conjecture 3.4. If $n \in N$, then $[[a +'_{[n+1]} c] + [b +'_{[n+1]} c]] \leq [[a+b] +'_{[n+1]} c]$ holds.

Conjecture 3.5. If $n \in N$, then $[[a +'_{[n+2]} c] + +[b +'_{[n+2]} c]] \leq [[a + b] +'_{[n+2]} c]$ holds.

Conjecture 3.6. If $n \in N$, then $[[a+b] -'_{[n+1]} c] \leq [[a-'_{[n+1]} c] + [b-'_{[n+1]} c]]$ holds.

Conjecture 3.7. If $n \in N$, then $[[a++b] -'_{[n+1]} c] \leq [[a-'_{[n+1]} c] + +[b-'_{[n+1]} c]]$ holds.

Conjecture 3.8. If $n \in N$, then $[[a/'_{[n+1]}c] + [b/'_{[n+1]}c]] \le [[a+b]/'_{[n+1]}c]$ holds.

4. General Bernoulli's Inequality In Operator Axioms

Conjecture 4.1. If $n \in N$ and $d \in [2, +\infty)$, then $[1 + [a +'_n d]] \leq [[1 + a] +'_{[n+1]} d]$ holds.

References

- [1] Pith Xie, A logical calculus to intuitively and logically denote number systems, Progress in Applied Mathematics, Vol.1, No.2, (2011), 43-70.
- [2] Pith Xie, Number systems based on logical calculus, International Mathematical Forum, Vol.8, No.34, (2013), 1663 1689.
- [3] Pith Xie, Improvement on operator axioms and fundamental operator functions, International Journal of Mathematics And its Applications, Volume 5, Issue 2-A, (2017), 125-151.
- [4] Pith Peishu Xie, Numerical computations for operator axioms, arX-iv:1208.0701v11[cs.NA], 16 June 2019.
- [5] Peter Linz, An Introduction to Formal Languages and Automata, Third Edition, Jones and Bartlett Publishers, Inc., 2001.
- [6] Anil Nerode and Richare A. Shore, Logic for Application, Second Edition, Springer-Verlag New York, Inc., 1997.

Axiom Studio, PO Box #3620, Jiangdongmen Postoffice, Gulou District, Nanjing, 210036, P.R. China

E-mail address: pith.xie@gmail.com