

Discussions and Derivation of the Cosmic Energy Balance for an Ultra Light and Fast Pseudo Vector Medium

J. W. A. Zwart

Abstract

After an introduction defining the pseudo vector mediating medium of dark matter, the cosmic energy balance is derived under the condition that the pseudo cells never exceed the momentum of $\frac{1}{2} c_{eff}$. Next the baryonic matter had to be linked which under hyperbolic motion gives a reasonable agreement to the observed energy value of our cosmos of say 4.5%.

Introduction

An ultra fast and ultra light dark matter medium having not any coupling to the Maxwell laws of electromagnetism is proposed to explain the dynamic of gravity generation in a macro mass in which the atoms are subjected to coherent quantum mechanics behaviour.

Definition of the pseudo vector medium

For compliance to the mathematics of group symmetry the pseudo vector unit cell consists of three perpendicular vector components, a unit of acceleration, one for spin and the third unit for the vector cross product of both. In nature one recognised the definition as a flywheel of which the spin axis of rotation is horizontal to the force of gravity consequently the flywheel executes a continuous precession if no dissipation occurs.

The pseudo vector medium defined as such has to exist of four independent pseudo cells covering in the Cartesian system the symmetry of the three pseudo vector components. In this manner a medium of infinite randomised cells could exist of which the overall energy is zero, all everything is nullified to each other. Obviously cells could cluster by adding in pairs the acceleration components at best as in coherence, then leaving the spin and precession components is let us say perpetual exchange.

See Fig 2

Fig 1





Fig 2



A restriction for such an indestructible mediating medium is the uncertainty wave length all pseudo cells is much longer than the Compton's length of the electron.

The non relativistic cosmic energy balance for the ultra fast and ultra light medium

The pseudo vector medium without the presence of baryonic matter is as follows:

$M(c^2 = \frac{1}{4} c^2 + \frac{3}{4} c^2)$ with M the mass of the universe as dark matter medium.

The restriction for the medium is that the acceleration components never exceed the $(\frac{1}{2}\sqrt{2} c)$ end velocity giving $\frac{1}{2} c_{\text{eff}}$ as momentum to a pseudo cell. In random exchange the energy is $\frac{1}{2} c^2$ for the accelerating energy and $\frac{1}{2} c^2$ for the spin precession energy. Due to the generation of gravity in general, say at infinity the opposite reaction exists spread over the Cartesian volume of the universe. In other words the one component representing $\frac{1}{4} c^2$ is overall linear or radial energy while in the three Cartesian directions the medium energy is expressed as $3 \times (\frac{1}{4} c^2) = \frac{3}{4} c^2$ shown in fig 3

Acceleration one direction to end velocity $\frac{1}{2}\sqrt{2} c$ (unit mass)

Energy: $s a = \frac{1}{4} c^2 = \frac{1}{2} (\frac{1}{2} \sqrt{2})^2$

Acc. two directions: $\frac{1}{4} c^2 + \frac{1}{4} c^2 = \frac{1}{2} c^2$

Acc. three directions: $(\frac{1}{4} + \frac{1}{4} + \frac{1}{4})c^2 = \frac{3}{4} c^2$


Overall energy: $(\frac{1}{4} + \frac{3}{4}) c^2 = c^2$ dark matter

Rotation energy: $(\frac{1}{2}\sqrt{3})^2 c^2 = \frac{3}{4} c^2$

Work by charged matter: $\frac{1}{4} c^2$

The $\frac{1}{2}\sqrt{2}c$ vector in radial direction from a gravity

Fig 3



Or in other words it is the coherent radial energy due to gravity anywhere in our cosmos with $\frac{1}{2} c_{\text{eff}}$ integrated momentum in spherical symmetry transferring energy to an imaginary centre of mass.

The derivation of the baryonic mass ratio in relation to the dark matter medium of ultra light and fast pseudo vectors.

The derivation of the mediating mass for the dm medium between the proton and the electron is subjected to Sacharov's law of dark matter induction, see ref 1.

$m_m^2 = m_{at} / (4\alpha)$ with $\alpha = 1 / 137.036$ the fine structure constant
giving for the H atom: $1837.153 m_e$ $m_m = 250.81 m_e$ as mediating mass

For the expansion of the medium with an overall intrinsic medium acceleration of a_o spanning Hubble's radius R_H of our cosmos due to Hubble's red shift constant between galaxies. So in fact

$R_H a_o = \frac{1}{2} c^2$ because the initial momentum can exceed $1/2 c_{eff}$.

The medium accelerates the mediating mass by a_o while generating the angular momentum and precession generating the rotation energy: $\frac{1}{2} (\frac{1}{2} \sqrt{3})^2 m_m c^2 = 3/8 m_m c^2$.

The force balance under acceleration between m_m and m_{at} (H atom) and the respective number of cells is N_2 and N_1 giving energy:

$$\frac{1}{2} N_1 m_{at} c^2 = (\frac{1}{2} \times \frac{1}{4}) N_2 m_m c^2 = 1/8 N_2 m_m c^2$$

Resulting:

$$N_2 / N_1 = 4 \times m_{at} / m_m = 4 \times 7.325 = 29.3$$

With $N_1 / (N_1 + N_2) = 1 / (1 + 29.3) = 0.033$ $N_2 / (N_1 + N_2) = 29.3 / (1 + 29.3) = 0.967$

The last ratio represents the dark medium.

Since the medium constitutes four independent pseudo vector cells to be associated to four kinds of pseudo e-neutrinos, it is indestructible because the uncertainty wavelength is about three hundred thousand times longer than the Compton length of the electron. The fast medium is overall neutral for Fermi spin and the acceleration components then giving a factor two out of the four cells.

It changes the force balance:

$N_1 m_{at} = 2 \times 7.325 N_2 m_m$ making $N_2 / N_1 = 3.6625 \times 7.325 = 26.83$
Baron ratio: $1 / (1 + 26.83) = 0.0351$ dm overall ratio: 0.941

Weighted ratio:

baron equilibrium: $N_1 m_{at} / (N_1 m_{at} + N_2 m_m) = 7.325 / (7.325 + 26.83) = 0.214$

rotation dm ratio: $N_2 m_m / (N_1 m_{at} + N_2 m_m) = 26.83 / (7.325 + 26.83) = 0.786$

Conclusion:

It shows the first step for comparison to the observed ratios between dark matter as radial or linear acceleration and dark energy as rotation energy explaining the existence of a dark matter medium.

Remarks and corrections

Define the substitution angle of θ between m_{at} and m_m as momentum ratio because $c \cos 60^\circ = \frac{1}{2} \sqrt{3} c$ discussed above then $\cos \theta = \sqrt{2 / 7.325} = 0.5225$ and $\theta = 58^\circ.5$.

It is interesting to see if the substitution angle of the medium changes under the constant acceleration of a_o . This motion is called the hyperbolic motion in the special relativity theory.

Above the angle θ is $58^\circ.5$ giving a ratio of $c \cos \theta = 0.5225c$. For Helium this value is changed to $\theta = 57^\circ.527$ making $c \cos \theta = 0.5369 c$.

The hyperbolic motion compared to the Newton path of acceleration gives a kinematical energy ratio of

$$R_{hyp} = S_{hyp} / S_{newt} = 2(\cosh \tau_1 - 1) / \beta^2$$

Where $\tau_1 = (a_o / c) \tau$ is the normalised time interval of acceleration, but in fact the formula is independent of the constant of acceleration. Here $\tau_1 = m / m_o$. For the maximum energy of the pseudo cells $\frac{1}{2} c_{eff}$ then $m / m_o = 1 / \sqrt{1 - \beta^2} = \sqrt{4/3} = 1.154700$

For $\beta = 0.5225$ then $R_{hyp} = 1.266$. The kinematical hyperbolic ratio brings the overall free dark energy of the universe up to $0.786 * 1.266 = 0.995$, which should give a real ratio of 1.00 at first impression. However for He^2_4 the ratio of $m_{at} / m_m = 6.934$ with $\beta = 0.5369$. See table with $R_{hyp} = 1.266$ corresponding to $m/m_o = 1.154700$ and the overall is $1.266 * 78.6 = 99.44$

β	β^2	m_{at}/m_m	N_{at}/N_m	baron %	DM %	R_{hyp}	overall %
0.480	0.23	8.696	37.81	2.58	81.3	1.214	98.84
0.500	0.25	8.00	32.0	3.03	80.0	1.238	99.04
0.5225	0.273	7.325	26.83	3.59	78.6	1.266	99.44
0.5436	0.2955	6.768	22.90	4.18	77.19	1.296	100.0

dark-
energy

β is the end velocity of the linear part of the graviton with respect to c . The dark matter part (acceleration equilibrium part) plus the dark energy part gives 100 %.
The inertia ratio $m_{at} / m_m = 2(1/\beta^2)$ with $N_{at}/N_m = 2(1/\beta^2)^2$ with a baron ratio of 4.18 %.

Relativistic corrections for dark matter and dark energy compared to not recent observations.

The available data for the dark matter and energy in our cosmos are given in the table. The latest observation with highest accuracy come from the COBE- satellite dedicated to the cosmic background observation and extracted from the Planck map of the universe.

		m_m / m_{at}	N_{at} / N_m	F_D	F_E	
	1H_1	7.325		1/26.83	0.2145	0.7482
2006	WMAP	6.5146		1/21.22	0.227	0.728
2013	COBE	6.2303		1/19.41	0.268	0.683

The ratio m_{at} / m_m is the equivalent for the observed data and N_{at} / N_m are respectively the number of atoms and quanta of the mediating mass. Note: 4H_2 converted to one atom gives only a small deviation from the neutral hydrogen. Therefore the relativistic correction is the main reason to explain the deviation of the observed data.

1H_1	1837.153	m_m	250.8082	ratio	7.325	expressed in m_e .
4H_e	1825.063		249.9472		7.302	

As explained in the theory of CDM based on the neutrino hypothesis, dark matter follows vector driven empty space, weak vacuum due to coherent neutrinos. The derived formula represents Newtonian labour under conservation of angular momentum.

$$v^2 / c^2 = \cos^2 \varphi = 2m_m / m_{at}$$

The factor 2 is important and it is the conserved vector ensemble of both electron and atom converted to one atom representation determining the quantum exchange of the dm medium by the mediating mass m_m . The mediating mass is due to gravitational induction, but the vector quanta of vacuum are partially or fully accelerated up to around $1/2c$. The overall energy in the universe induces the vacuum acceleration constant determined by the induction law of gravitation. So one may conclude that solely m_m is subjected to relativistic behaviour and not m_{at} .

Calculate from COBE data the ratio m_{at}/m_m : $m_{rel}/m_m = 1/\sqrt{(1-\beta^2)}$
 $\sqrt{(19.41/2)} = 3.1151 * 2 = 6.2303$ $m_{rel} = 1837.153 / 6.2303 = 294.875$
 $m_{rel}/m_m = 1.1757$ $\beta^2 = 0.27655$ $\beta = 0.5259$

The hyperbolic motion for constant acceleration of a_o gives the relativistic energy ratio with respect to the Newtonian labour.

$$R_{hyp} = 2(\cosh \tau_1 - 1) / \beta^2 \text{ with } \tau_1 = (m/m_o) \text{ or: } m_m \text{ or: } m_{rel}$$

The table of interpolation is:

R_{hyp}	β	β^2
1.238	0.5	0.25
1.266	0.5225	0.273
1.296	0.5436	0.2955

For equal β of 0.5259 is the ratio of 1.1757 smaller than R_{hyp} of 1.268 giving $m_{\text{hyp}} = 318.025$. Only 1.1757 is allowed while m_{hyp} cannot be a hyperbolic motion.

References:

Website: <https://gravitation-levitation-physics.org/>

Website: <https://universal-creation.org/>

Meta physics due to the impact of mediating dark matter medium on humanity.

<https://vixra.org/abs/2302.0135> Provisional proof between Planck's parameters to the giant groups symmetries of Monster, Baby monster and Fischer 24.

Foundation Cosmic Field Paradigm ©

..... introductory text on standard particle theory and cosmology, the phenomena explained by them, unsatisfactory features of that explanation, and an alternative approach by the Cosmic Field Paradigm which (supposedly) cures those defects